

Comparative Analysis of Traditional Animation and Computer-Generated Animation Techniques

¹Dr. Siddhant kumar Vasantrao Wadmare, ²Kamran Siddique, ³Nivedita Rashmi, ⁴Dr. Jaywant Somnath Bhumkar

Dr. D. Y. Patil Vidyapeeth, School of Design, Pune, India, siddh.sw@gmail.com

² Dr. D. Y. Patil Vidyapeeth, School of Design, Pune, India, kamran.siddiqui@live.com

³ Dr. D. Y. Patil Vidyapeeth, School of Design, Pune, India, niveditarashmi29@gmail.com

⁴ MIT Arts, Commerce and Science, College Alandi (D), Pune, India, bhumkarjaywant@gmail.com

Abstract

The last few years have seen unprecedented changes to how animated movies are made. This also increases the urgency for trying to make a systematic comparison between traditional hand-drawn animation and computer-generated, also called CG animation. While both hand-drawn and computer-generated animation are used in the media industry today, the two have wildly different workflow architectures, cost ecosystems, potential for scalability, and levels of realism. This study attempts to present a comparison of all of these factors, combining the workflow analysis, the production system mathematically modelled, the costs evaluated, the computational metrics of realism, and the audience perception evaluated, all in one comprehensive analysis. For the purposes of this study, one minute of video will be used as a baseline to offset the disparity in length of different videos. This analysis, then, will quantify the disparity in labour intensity, asset reuse, scalability of rendering and revisions, little to no revisions. This analysis will show that traditional animation is much more linear in terms of production and therefore much more labor intensive and less scalable when looking at high quantity outputs. On the other hand, CG animation is more modular; and therefore, increases its production efficiency over longer production cycles as the cost of production diminishes.

The analysis of realism is divided into two parts. The first is computational realism and the other, perceptual realism. The first is considered to be more objective than the second. Traditional animation continues to be a strong competitor in terms of audience engagement through its use of expressive and emotional stylization. Computational realism is gauged by how accurate the animation is in its use of light, texture resolution, and how closely the animation resembles real life by including used simulated physics. Traditional animation will engage the audience more than CG animated movies even if the latter is the objective winner in terms of realism. Extent industry trend analysis also supports the conclusion. The CG hybrid production model animates suggested illustrations of cross platform integration coupled with real time rendering increases. The CG hybrid production model will most likely dominate to industry in the animating of suggested illustrations of cross platform integration coupled with real time rendering increases.

The research provides an integrated analytical framework that connects and places research on the aesthetics of animation and computer graphics within a practical decision-support context for studios and enhances the theoretical knowledge of systems of animation production within the scope of the digital age.

Keywords: Traditional animation; Computer-generated animation; Animation workflow analysis; Production cost modelling; Visual realism metrics; Rendering scalability; Industry adoption trends; Hybrid animation systems; Digital media production; Perceptual evaluation.

1. Introduction

The field of animation has seen a major shift from drawing images by hand to using complex computer-generated imagery (CGI). Early animation, also known as cel or hand-drawn animation, began in the early 1900s. With the formation of industrial studio systems, especially those developed by Walt Disney Productions, animation began to develop its first artistic and technical systems. A few of these systems included the principles of animation such as squash and stretch, anticipation, and timing. These systems and principles remain firmly established in the aesthetic of animations (Thomas & Johnston, 1981). The majority of traditional animation processes included storyboarding, inking, keyframing, painting, and compositing. Each frame of the animation was completed manually which created the illusion of movement or motion. Because of the number of frames needed to create a movie, traditional animation processes are very labour intensive and require a high level of skilled draftsmanship and a lot of coordination (Wells, 1998).

In the late 20th century, the transition to digital technology started with the use of computer-assisted 2D tools and the emergence of fully computer-generated 3D images. The development of computer graphics like the algorithm controlled physically based rendering, shading, and motion control models revolutionized animation processes (Pharr, Jakob, & Humphreys, 2016). Kajiya (1986) notes that rendering algorithms that simulate global illumination and materials interacting as humans would expect to touch

diminished the limits of writers' imaginations. Furthermore, the unification of the various digital production processes and their placement in a single pipeline, e.g. modelling, rigging, texturing, lighting, animation, and rendering, increased both production efficiency and production scalability (Parent, 2012).

The 1990's saw the first fully computer animated feature films. Since that milestone, films, televisions, and games heavily relied on computer graphics due to the technology's flexibility, and cost-benefit partnerships with new technologies, like real-time engines and virtual production (Kerlow, 2009). The animation artistry comprising traditional animation and fusions of traditional with digital elements (e.g. digital compositing and hand-drawn craft) has evolved (Furniss, 2008). The artistic fusion of animation and new technology is a reflection of the evolution of artistry.

Even though there has been a noticeable lack of quantitative analysis of traditional vs CG animation techniques, there is a plethora of literature regarding case studies of both the aesthetic appeal of animation, the algorithms of computer graphics, and studies regarding either one of the styles, either from an artistic point of view, concentrating on the process of making the graphics (Wells, 1998; Furniss, 2008) or from a technical standpoint, studying the advancements regarding computer graphics (Pharr et al., 2016; Parent, 2012), and there is a lack of empirical studies on the analysis of the time production, the cost analytics of the animation, the computational requirements, and the pictorial realism measurable outcomes of both styles.

The realism presented in the animation, in addition, is presented qualitatively, as opposed to the quantitatively measurable presentation of realism. While there is research on computer graphics that deals with the modelling of the material properties and the accurate modelling of the materials and the movement of light (Kajiya, 1986), the dimension of perceptual realism is predicated on the audience and their cognitive interpretation and response. The phenomenon referred to as the "uncanny valley" illustrates (Mori, 1970/2012) the perception of digital characters and the perception of realism and how complex the perception of realism encountered in digital characters is. Hence, there is a noticeable dissonance encountered in the contrast in the levels of realism in the perception of stylized hand-drawn animation vs that of CG animation realism.

From an industrial viewpoint, making decisions regarding the choice of techniques incorporates aspects of cost, time, scalability, and artistic vision. However, the literature seldom offers empirical production metrics for comparative workflow analysis and cost-effectiveness studies. With the increasing adoption of hybrid pipelines and real-time rendering in studios, a systematic approach for comparative analysis is needed to aid production empirically and to further the academic discourse.

To address these gaps, this research intends to carry out a systematic comparative analysis of traditional hand-drawn animation and computer-generated animation techniques.

Initially, the objective is to systematically capture and analyse the workflow structures of the two techniques. While traditional animation pipelines involve the production of sequential frames and manual in-betweening, computer-generated animation (CG) pipelines are based on the creation of assets, rig-based animation, and computer-based rendering techniques (Parent, 2012; Kerlow, 2009). A comprehensive workflow representation captures the process' bottlenecks and the parameters that influence varying levels of efficiency.

Lastly, the objective is to compare time, cost, and resources. Most traditional animation studios operate on the basis of a large number of artists for the production of frames, while computer-generated (CG) animation studios require a significant upfront investment in the computing hardware/software infrastructure but facilitate the reuse of assets and the automation of processes (Pharr et al., 2016). An assessment of the production hours for a minute of animation and the distribution of cost across human resources and technology provide the basis for a thorough economic analysis of the processes.

This research examines visual quality and realism. Animation has a rich history and varying techniques. Traditional animation involves stylization through heavy exaggeration and expressive use of lines (Thomas & Johnston, 1981), while computer-generated (CG) animation focuses on photorealism and the use of accurate physical simulations (Kajiya, 1986). Using frameworks from perceptual evaluations, this research tries to ascertain whether more computational realism leads to more audience-perceived realism.

The research also considers industry outlooks and preferences. With the advent of real-time rendering, virtual productions, and AI-driven animation, the production processes of animation are changing. Looking

at current patterns in studio adoption and the forthcoming technological advancements provide a pacing guide to the evolution of animation processes.

The study's aims are embodied in the following research questions:

1. Of the two techniques, which is more time efficient in terms of production hours per minute of final output?
2. In relation to the two techniques, how do cost structures vary in terms of labour distribution, tech requirements, and scalability?
3. Of the two techniques, which provides a better objectively measurable realism based on computer generation and perceptual criteria?
4. What influences industry preference of one technique, and what is the effect of emerging technologies on this?

The aim of these questions is to amalgamate the artistic, economic, and technological perspectives into a single comparative framework. This study specifies various contributions to both research and practice within the field of animation.

To begin with, the study proposes a model for workflow comparisons, outlining each stage of production in traditional and computer-generated (CG) animation and assigns them to parallel categories for analytical comparison. This model serves to integrate the study of both artistic production and computational production pipeline analysis.

In addition, the study proposes a framework for quantitative evaluation along the lines of production time, cost of production, and expenditure of resources, all of which can be objectively measured. This study, for the first time, proposes the combination of the theory of computational rendering (Kajiya, 1986; Pharr et al., 2016) and the economics of production, establishing a basis for the multidimensional evaluation of production cost resources.

In addition to the synthesis of the survey of industry practice and the perceptual evaluation of computer graphics realism, the research links the theory of computer graphics with industry practice. On this basis, the study proposes a set of evidence-based, optimized techniques for animation (based on the objectives of varying scales, aesthetics, and budget).

This study, to a large extent, synthesizes artistic theory, industrial practice, and research in computer graphics, and with this synthesis clarifies the ways in which traditional and computer-generated animation coexist, compete, and converge in the contemporary production of media.

2. Literature Review

2.1 The Love and Work Involved in Traditional Animation

Crafton (1993) illustrates how the first animators, like McCay and Cohl, set the foundations for the motion illusion techniques that were later incorporated into industrial standard practices. The first experimental films showed the potential for scale that traditional animation had. The segmentation of workflows (Bendazzi, 2016) that later became pestilently formalized with the big studios exemplified with storyboarding, layout, key animation, inbetweening, compositing, etc, became the streamlined processes of large-scale studio production. Each individual worker specialized in the execution of a single repetitive task in order to increase productivity and to preserve the stylized consistency throughout the production. Traditional animation is a very expressive medium especially in relation to controlling time and motion. Solomon (1989) recognizes the art of time and motion in animation as a powerful tool. The animator, in a hand-drawn animated production, is able to use time and motion in any way they wish and create theatrical effects. The illusions portrayed are not meant to adhere to the laws of physics but are meant to represent a believable animated reality. This type of artistic freedom is a key element of the medium.

Cel animation production is equally labour intensive across its industry. Big budget animated feature films have previously employed large numbers of highly skilled personnel. Specialized positions on these films included layout artist, background artist and ink and paint workers. While this division of labour could result in a more efficient production pipeline, it also meant a greater financial and temporal investment in the production of the film. Honess Roe (2013) remarked that even with the rise of digital technologies, traditional animation still finds a home in independent film and in certain commercial productions because of the form's perceived tactility and authenticity.

The history of traditional animation shows the duality of the emerging technology at any given moment and the ingenuity of the artists using it.

2.2 The Animation Technology That Came Before Animation

The genesis of computer-generated animation is grounded in early research in computer graphics and digital image synthesis. The first generations of computer animation research dealt with the phenomena of motion and the building of a system of keys, frames and software that would populate the in-between (or intermediate) frames (Catmull, 1978). The creation of a system of flexible interpolating splines in a computer to represent a series of keyframes resulted in a significant improvement in control and fluidity of motion, thereby establishing the foundation for contemporary computer-generated animation (Bartels, Beatty, & Barsky, 1987).

The explosion of computer graphics (CG) animation capabilities, thanks to groundbreaking simulations, modelling and based simulations, along with other innovative techniques, has made enormous strides. The first computer animation to use a particles system to realistically simulate natural phenomena (like water, fire and smoke) as used by Reeves (1983) in the animation of the burning of a house. With the invention of cloth simulation and the modelling of deformable bodies (Baraff & Witkin, 1998) even more realism in character and environment interactions were created. The abstract representations of the characters and the environment gave way to the animation with more realism to the characters and the environment.

The animation of CG in films (digital photorealism) has gotten even better thanks to advances in rendering technology. The first use of programmable shading along with advanced models of illumination (Akenine-Möller, Haines & Hoffman, 2018) has made improvements to the way we perceive depth as well as the surface detail. The use of global illumination, subsurface scattering, and high-dynamic-range (HDR) imaging make animated films and video games more lifelike.

Studies have shown that the workflow for CG animation films is different from the workflow of traditionally animated films. For example, workflow that is based on assets makes production more scalable easier and more efficient in the long-term. In a wGC animated film, CG animations are created so that artists do not have to draw every frame by hand, allowing for more changes to be made in a shorter amount of time.

Real-time rendering engines and motion capture technologies have changed how animations are made. Motion capture technology allows for the live recording of a performer, and the performance is immediately converted into the movements of a digital character (Menache, 2010). The combination of digital manipulation and physical performance is a hallmark of modern CG animation.

2.3 Studies of Workflow in Animation Production

Workflow studies have documented cross-technology system contrasts between animation techniques. In classical animation, a workflow is linear and dependent frame by frame, so all parts of one frame must be fully completed before moving onto the next. In digital animation, however, workflow is modular and constructed around assets, allowing for simultaneous activity (Chopine, 2011).

In project management, the digital animation pipeline has a clear advantage in terms of coordination, as the frameworks of version control, non-destructive editing, and collaborative networks increase collaborative ease in large-scale productions (Kerlow, 2004). In contrast, traditional animation workflows often rely on physical asset tracking and manual revision, and highly increase the chances of delays in production.

Production economists generally agree that the initial technology costs of CG animations are high, but for long term projects asset reuse and automated processes are advantageous (Venkatasawmy, 2013). These differences illustrate the importance of process mapping in the analysis of workflow, specifically aimed to increase efficiency and scalability of various techniques.

2.4 Cost and Production Efficiency Studies

A study of the economics of production shows that costs get allocated unevenly depending on the style of the animation. In Traditional animation, the largest costs are in the areas of labour and physical resources, while in CG animation, investments are made in the areas of computing and software (Yoon & Malecki, 2010).

Digital media industry research states that while some technologies reduce the amount of labour needed that is repetitive, they simultaneously create a greater need for new specialized labour (Christopherson, 2008). The cost structures are then altered away from needing large drawing teams and instead, require smaller teams.

Also, research shows that the digital medium allows for faster iterations of a project to be produced because of the use of non-linear editing and automated systems which are able to bridge the gaps of drawing (Chopine, 2011). This is one of the reasons that CG animation is being preferred by the industry in contexts where a large volume of content is needed, such as in feature films and in the video game industry.

2.5 Realism and Perceptual Quality in Animation

Film and media theory have debated the issue of realism in animation for a long time. Manovich (2001) notes that new media feature blurred boundaries between the actual photographic images and computer-generated images which have different sets of aesthetics. In animation use of realism can be directed towards physical attributes, or towards psychological attributes.

Perception studies show that lighting accuracy, textures, motion continuity, and other factors play a role in how realistic users perceive a scene (Akenine-Möller et al, 2018). But as research has shown, a strong emotional connection can occur in a scene that is not photorealistic (Solomon, 1989). This demonstrates that realism is multi-faceted and consists of cognitive and cultural notions, rather than simply a computation of rational values.

The creation of hybrid animation, which combines hand-drawn elements with computer graphics, has made the distinctions between analogue and digital processes binary (Honesty Roe, 2013). This type of animation encapsulates the fusion of computational accuracy and artistic creativity.

2.6 Trends in the Industry

The animation industry as a whole has seen a rapid evolution of digital technologies. A study of the creative economies indicates that the international market is dominated by computer-generated media due to its ability to scale and reach across multiple platforms (Venkatasawmy, 2013). Furthermore, real-time rendering and virtual production technologies have propelled the integration of workflows between film and video game industries.

The use of AI and the tools of procedural animation are expected to automate the motion of characters and improve the realism of simulations in order to impact production paths significantly. The convergence of animation with interactive media and other immersive technologies will make the analysis of traditional and computer-generated animation techniques more meaningful in both research and in practice.

3. Methodology

3.1 Research Design

This study adopts a structured comparative research design to evaluate differences between traditional (hand drawn) animation and computer generated (CG) animations across workflow structure, time efficiency, cost distribution, resource allocation, and realism. The framework combines quantitatively produced data and qualitatively perceived data in an effort to be inclusive of the technical and the artistic aspects of the animation practice.

For the purpose of this study, the comparability of the techniques is established by using a normalized production unit of one minute of finalized animation output. Let

$$\begin{aligned} A_T &= \text{Traditional animation output (1 minute)} \\ A_{CG} &= \text{Computer-generated animation output (1 minute)} \end{aligned}$$

All production variables are determined with respect to this normalized time span. This normalization supports the idea that the time span comparisons are not based on narrative length but on how efficient the production is and what their outputs are.

The comparative design adopts a parallel evaluative structure whereby all the animation styles are evaluated against the same set of criteria. These are quantifiable variables such as production time in total, cost per minute, labour intensity, cpu time, and realism score.

3.2 Workflow Modelling Framework

The workflow of each animation technique is decomposed into measurable production stages and mathematically modelled to enable systematic comparison.

For traditional animation, the workflow is sequential and frame-dependent. The total production time is expressed as the sum of time spent across all stages:

$$T_{Total}^{(T)} = \sum_{i=1}^n T_i$$

where T_i represents the time required for each production stage and n denotes the number of workflow stages. Because hand-drawn animation requires frame-by-frame generation, total production time is directly proportional to the number of frames F :

$$T_{Total}^{(T)} \propto F$$

This proportionality reflects the linear relationship between frame volume and labour intensity. In contrast, CG animation follows an asset-based and modular pipeline. While production time similarly aggregates across workflow stages, the reuse of digital assets reduces marginal production effort:

$$T_{Total}^{(CG)} = \sum_{j=1}^m T_j - R_A$$

where R_A denotes time savings due to asset reuse and automation. This formulation captures the scalability advantage inherent in digital production systems.

3.3 Production Time Analysis

Production time is recorded through systematic logging of working hours across all stages. The total production time per minute of output is computed as:

$$PT = \frac{T_{Total}}{D}$$

where D represents animation duration in minutes.

Efficiency of production is defined inversely as:

$$E_T = \frac{1}{PT}$$

A higher E_T indicates greater time efficiency. This metric allows direct comparison between traditional and CG workflows under equivalent output conditions.

Revision frequency is also monitored to evaluate iterative flexibility. Let R_f denote the number of revisions per scene. A higher revision count may indicate either creative refinement or workflow inefficiency, depending on context.

3.4 Cost Modelling

The economic analysis incorporates labour cost, software licensing, hardware investment, and operational overhead. Total production cost is modelled as:

$$C_{Total} = C_L + C_S + C_H + C_O$$

where C_L represents labor cost, C_S software cost, C_H hardware depreciation, and C_O overhead expenses.

Labor cost is calculated using:

$$C_L = \sum_{k=1}^p (H_k \times W_k)$$

where H_k denotes hours worked by individual k , and W_k denotes hourly wage.

Cost per minute of animation is defined as:

$$C_{PM} = \frac{C_{Total}}{D}$$

Cost efficiency is therefore expressed as:

$$E_C = \frac{1}{C_{PM}}$$

This formulation enables comparison of economic scalability between labour-intensive traditional methods and infrastructure-intensive CG production systems.

3.5 Resource Utilization Modelling

Human resource intensity is defined as:

$$HR = \frac{\text{Total Personnel}}{D}$$

This metric reflects the number of artists required per minute of output and highlights labour distribution differences between techniques.

For CG animation, computational resource consumption plays a significant role. Rendering cost is estimated through energy and processing time metrics:

$$C_{Comp} = P_{elec} \times T_{render}$$

where P_{elec} represents average power consumption and T_{render} represents total rendering time. Computational intensity per minute is defined as:

$$CR = \frac{T_{render} \times L}{D}$$

where L denotes average hardware load. This equation captures the technological dependency of CG production relative to traditional methods.

3.6 Realism and Perceptual Evaluation

Realism is evaluated using both computational attributes and audience perception measures. A structured survey instrument is administered to professional animators, animation students, and general viewers. Responses are recorded on a five-point Likert scale assessing visual realism, motion naturalness, lighting authenticity, and overall aesthetic appeal.

The Realism Index (RI) is calculated as the normalized mean of all perceptual scores:

$$RI = \frac{\sum_{i=1}^N S_i}{N}$$

where S_i represents individual respondent scores and N is the total number of respondents.

To ensure comparability, the index is standardized between 0 and 1:

$$RI_{norm} = \frac{RI - RI_{min}}{RI_{max} - RI_{min}}$$

This normalization allows direct comparison of perceived realism between traditional and CG outputs.

5.7 Statistical Analysis

Descriptive statistics including mean, standard deviation, and variance are computed for all quantitative metrics. Comparative analysis between techniques is performed using independent sample t-tests for continuous variables such as production time and cost per minute.

If multiple evaluation groups are involved (e.g., professionals vs. general audience), one-way ANOVA is applied to determine statistical significance in realism perception differences. Statistical significance is evaluated at a confidence level of $\alpha = 0.05$.

The proposed methodology develops a comparative model based on workflow decomposition, production time estimations, economic modelling, computational modelling, and perceptual modelling. The framework combines mathematical formulation and empirical observation, enabling an objective comparison of computer and traditional animation while maintaining the necessary subjective interpretive evaluation for artistic assessment.

4. Comparative Workflow Analysis

4.1 Structural Characteristics of Traditional Animation Workflow

Traditional animation relies heavily on a sequential and frame-based system of production. Each individual frame must be made, edited, and finished before the production team can move on to the next frame. Production usually begins with a conceptual design and storyboard which determine the flow of the film's narrative and the composition of the shots. After storyboarding, the animator's next step is to create a layout design, which sets the position of the elements and the depth of the space in the scene being animated. The most critical stage of production is called *Keyframing*. During this stage, the animator will illustrate the important poses and then create in-betweens to ensure fluid movement. The final stages of animation are cleanup drawing, inking, painting, and compositing the scene to create the finished product.

Because each frame must be physically drawn or digitally sketched by hand, production complexity increases linearly with frame count. If the animation operates at f frames per second over duration D , the total frame count is:

$$F = f \times 60D$$

The time required for drawing-related stages can therefore be approximated as:

$$T_{draw} = F \times t_f$$

where t_f represents average time required per frame.

This linear scaling illustrates a core limitation of traditional animation: production effort grows proportionally with duration and frame rate. Revision cycles in traditional animation also require redrawing affected frames, increasing cumulative production time. Let R denote the average revision ratio (percentage of frames requiring modification). The adjusted time becomes:

$$T_{adj}^{(T)} = T_{draw}(1 + R)$$

Thus, traditional workflows are labor-intensive and sensitive to iteration frequency. However, they offer high artistic flexibility, allowing expressive exaggeration and stylized motion unconstrained by computational simulation.

4.2 Structural Characteristics of Computer-Generated Animation Workflow

The animation pipeline employs an asset-driven approach. After construction of character/asset models, rigs, environments, and other digital resources, additional shots/screens can be captured, making the asset construction stage flexible in terms of the non-linear production cycle.

The workflow starts with modelling and rigging, then continues with the steps of texturing and shading. Greybox environments can then be animated by either keyframing, the application of motion capture data, or some sort of procedural animation. Lighting and rendering serve as the final steps, with rendering requiring a significant amount of processor time as 3D scene data is converted into 2D images.

Total workflow time for CG animation can be expressed as:

$$T_{Total}^{(CG)} = T_{asset} + T_{anim} + T_{render}$$

where

T_{asset} = time for modeling, rigging, and setup

T_{anim} = time for animation and adjustments

T_{render} = rendering and post-production time

Because digital assets are reusable, marginal production time for additional scenes decreases. If S represents the number of scenes using the same assets, then:

$$T_{asset}^{(effective)} = \frac{T_{asset}}{S}$$

This property enhances scalability, particularly in long-form productions.

Rendering time is dependent on scene complexity. Let

C_s = scene complexity factor

H_c = hardware computational capacity

Then rendering time per frame may be approximated as:

$$t_r = \frac{C_s}{H_c}$$

Total rendering time becomes:

$$T_{render} = F \times t_r$$

Unlike traditional drawing time, rendering time can be reduced through parallel processing and distributed computing. This introduces a nonlinear efficiency advantage dependent on hardware infrastructure.

4.3 Parallel Workflow Comparison

A structural comparison reveals fundamental differences between the two production systems. Traditional animation exhibits a linear workflow with direct frame-to-labour dependency. In contrast, CG animation demonstrates modular segmentation and computational parallelization.

The dependency structure of traditional animation can be modelled as:

$$T_{Total}^{(T)} \propto F$$

whereas CG animation includes both fixed and variable components:

$$T_{Total}^{(CG)} = T_{fixed} + \alpha F$$

Here, T_{fixed} represents initial asset creation time and α represents average animation and rendering time per frame.

For shorter projects with limited reuse, T_{fixed} may dominate CG production cost. However, for large-scale productions, asset reuse reduces average time per minute. This indicates that traditional animation may be comparatively efficient for short stylized works, whereas CG animation becomes advantageous for high-volume or asset-intensive projects.

4.4 Iterative Flexibility and Revision Dynamics

Revision handling differs significantly between the two workflows. In traditional animation, modifications require redrawing affected frames, making late-stage revisions costly in time. Let ΔF represent number of frames requiring correction. The additional effort is:

$$T_{rev}^{(T)} = \Delta F \times t_f$$

In CG animation, revisions often involve modifying rig parameters, animation curves, or lighting settings without recreating frames from scratch. Therefore, revision effort may be expressed as:

$$T_{rev}^{(CG)} = T_{param} + \Delta t_r$$

where T_{param} is time required for parameter adjustment and Δt_r is additional rendering time.

This structural distinction significantly affects production agility and adaptability to creative changes.

4.5 Scalability and Pipeline Integration

Scalability analysis further differentiates the workflows. Traditional animation scales primarily through increased human labour. If N_a represents number of artists, production time can theoretically be reduced as:

$$T_{Total}^{(T)} \approx \frac{F \times t_f}{N_a}$$

However, coordination overhead increases with team size, reducing ideal efficiency.

CG animation scales through both human collaboration and computational distribution. Rendering tasks can be parallelized across multiple processing units:

$$T_{render}^{(parallel)} = \frac{T_{render}}{P}$$

where P represents number of parallel processors.

This computational scalability provides a structural advantage in large-scale studio environments with access to render farms or cloud infrastructure.

The comparative analysis explains that workflow differences are due to traditional animation being framed as a linear, more labor intense process based on the number of frames required, while CGI animation is framed as modular, asset-based, and more computationally scalable. With traditional methods the emphasis is on more artistic control and hand-generated expressiveness; whereas with CG methods the emphasis is on improved efficiency, reuse, and technological workflow integration.

The differences described above structurally influence the time, cost, and efficiency of revisions, and the scalability of the animation process. These differences help to form the basis of the numerical comparison to follow.

5. Time and Cost Analysis

5.1 Production Time Comparison

Production time remains one of the most critical determinants in selecting an animation technique. Traditional animation requires manual frame-by-frame construction, making time consumption directly proportional to frame count and artist effort. In contrast, computer-generated animation benefits from keyframe interpolation, reusable rigs, and automation, which reduce repetitive workload (Chopine, 2011; Parent, 2012).

Let total frames be defined as:

$$F = f \times 60D$$

where f represents frames per second and D represents duration in minutes.

For traditional animation, production time may be expressed as:

$$T_T = F \times t_f$$

where t_f is the average drawing time per frame.

For CG animation:

$$T_{CG} = T_{asset} + F \times t_{adj}$$

where T_{asset} is asset preparation time and t_{adj} is animation adjustment time per frame.

Empirical production studies indicate that hand-drawn animation may require between 8–15 labour hours per finalized second depending on complexity, whereas CG animation shifts time distribution toward asset setup and rendering (Yoon & Malecki, 2010).




Figure 1. Production Time per Minute Comparison

Scalability Impact

Scalability differs structurally between the two systems. Traditional animation scales primarily through increased human labour, whereas CG animation scales through both asset reuse and parallel rendering systems (Akenine-Möller, Haines, & Hoffman, 2018).

If N_a denotes number of artists:

$$T_T \approx \frac{F \times t_f}{N_a}$$

For CG systems with P processors:

$$T_{render} \approx \frac{F \times t_r}{P}$$

This dual scalability (human + computational) often provides long-term efficiency advantages for CG production in large-scale projects.




Figure 2. Scalability Model Comparison

5.2 Cost Structure Comparison

Cost structures differ fundamentally between traditional and CG animation. Traditional systems allocate the majority of financial resources toward labour expenditure, while CG animation redistributes costs toward hardware, software licensing, and rendering infrastructure (Christopherson, 2008).

Total cost is defined as:

$$C_{Total} = C_L + C_S + C_H + C_O$$

where

C_L = labor cost

C_S = software cost

C_H = hardware cost

C_O = operational overhead

Labor Cost

Traditional animation typically involves larger drawing teams. Labor cost is calculated as:

$$C_L = \sum_{k=1}^p (H_k \times W_k)$$

Studies of global animation production networks indicate that labour accounts for the largest proportion of traditional animation budgets (Yoon & Malecki, 2010).




Figure 3. Labor Cost Comparison

Software Cost

CG animation requires licensed software and rendering engines. Annual licensing fees and plugin subscriptions increase production overhead. Traditional animation software costs are comparatively lower when hand-drawing methods dominate.

Hardware Investment

Hardware investment includes high-performance CPUs, GPUs, and render farms. According to Akenine-Möller et al. (2018), rendering complexity increases computational demand exponentially with lighting and shading complexity.




Figure 4. Cost Distribution Structure

5.3 Resource Utilization

Resource utilization extends beyond cost into production efficiency and technological dependency.

Human resource intensity is defined as:

$$HR = \frac{\text{Total Personnel}}{D}$$

Computational intensity for CG animation is expressed as:

$$CR = \frac{T_{render} \times L}{D}$$

where L represents hardware load factor.

Traditional animation demonstrates higher human dependency, while CG systems demonstrate higher computational dependency.




Figure 5. Human vs Computational Resource Intensity

6. Quality and Realism Evaluation

6.1 Visual Realism Metrics

The assessment of visual realism in animation can be done through both measurable rendering attributes as well as authenticity of motion. Realism in computer-generated animation as per (Glassner, 1995; Shirley, Ashikhmin, Marschner, & Ramamoorthi, 2009) relates to a model's ability to include a physics-based light transport model, reflectance model of materials, and model accuracy (simulations) as compared to the real world. In comparison, realism in traditional animation relies more on stylization and exaggeration, and not on physical simulations (Lamarre, 2009).

In order to formulate a basis to compare objectively, realism is broken into three components which can be measured: accuracy of light, the detail of the texture, and the fidelity of the simulated physics.

Let overall realism score R_v be defined as a weighted composite index:

$$R_v = w_1L + w_2T + w_3P$$

where

L = lighting realism score

T = texture detail score

P = physics simulation accuracy

w_1, w_2, w_3 = weighting coefficients

The weights are normalized such that:

$$w_1 + w_2 + w_3 = 1$$

This model allows objective comparison between stylized and physically simulated animation outputs.

Lighting Realism

Lighting realism measures shadow consistency, global illumination approximation, and surface reflectance accuracy. In CG animation, lighting realism may be assessed through luminance variance and shadow continuity metrics derived from rendered frames (Shirley et al., 2009).

A simplified lighting variance metric may be expressed as:

$$L = 1 - \frac{\sigma_{illum}}{\mu_{illum}}$$

where

σ_{illum} = standard deviation of illumination intensity

μ_{illum} = mean illumination intensity

Higher values indicate more consistent and realistic lighting distribution.

Texture Detail

Texture realism measures surface resolution, bump mapping fidelity, and shading smoothness. Let texture resolution index be:

$$T = \frac{R_{tex}}{R_{max}}$$

where

R_{tex} = actual texture resolution

R_{max} = maximum reference resolution

CG animation typically achieves higher texture detail due to procedural mapping and high-resolution materials (Glassner, 1995). Traditional animation, however, may intentionally simplify surface details for stylistic coherence.

Physics Simulation Fidelity

Physics simulation fidelity evaluates motion accuracy relative to real-world kinematic principles. Let motion deviation be defined as:

$$P = 1 - \frac{|a_{sim} - a_{real}|}{a_{real}}$$

where

a_{sim} = simulated acceleration

a_{real} = real-world reference acceleration

CG animation employing rigid body and particle simulations generally scores higher in this metric, while traditional animation may intentionally exaggerate motion for dramatic effect (Lamarre, 2009).




Figure 6. Visual Realism Component Comparison

6.2 Artistic Flexibility

Artistic flexibility is the potential of an animation system for the support of different styles, exaggeration, and aesthetic diversity. Compared to other forms, flexibility of traditional animation is at the highest level. This is because animation motion and form is not bound by physical simulation. For instance, an animator can choose to distort an anatomy, timing and even perspective for the purpose of expressive impact as indicated by Solomon (1989).

On the other hand, CG animation will tend to not encourage stylistic exaggeration unless an animator overrides this. With CG animation dominating the field, some non-photorealistic rendering (NPR)

techniques will at least allow hand-drawn looks without the hand-drawn drawbacks as indicated by Gooch & Gooch (2001)

Artistic flexibility index A_f may be defined as:

$$A_f = \frac{S_{var}}{S_{constraint}}$$

where

S_{var} = degree of stylistic variation achievable

$S_{constraint}$ = system-imposed constraints

Traditional animation typically exhibits higher A_f , particularly in stylized narratives.




Figure 7. Artistic Flexibility Index

6.3 Audience Perception Study

While computational realism can be measured mathematically, perceived realism depends on audience interpretation. Studies in visual cognition suggest that believability is influenced not only by physical accuracy but also by motion continuity and narrative context (Prince, 2012).

A structured perception survey is conducted using a 5-point Likert scale across the following dimensions:

- Visual realism
- Motion naturalness
- Emotional engagement
- Overall aesthetic appeal

The Realism Perception Index (RPI) is calculated as:

$$RPI = \frac{\sum_{i=1}^N S_i}{N}$$

where

S_i = individual respondent score

N = total respondents

Normalized perception score:

$$RPI_{norm} = \frac{RPI - 1}{4}$$

This transformation scales values between 0 and 1 for direct comparison.

Statistical significance between traditional and CG perception scores can be evaluated using independent sample t-tests:

$$t = \frac{\bar{X}_T - \bar{X}_{CG}}{\sqrt{\frac{s_T^2}{n_T} + \frac{s_{CG}^2}{n_{CG}}}}$$

where

$\bar{X}$ = mean score

s^2 = variance

n = sample size




Figure 8. Audience Perception Comparison

Shirley et al. (2009) shows that CG-based animations tend to incur higher scores with regards to lighting, texturing, and simulations of physics. This is due to the rendering and modelling techniques available to physical-based (or computational) model simulations. Conversely, traditional animations tend to have flexibility and variety that is more expressive and artistic.

Although CG-based animations are considered to have more visual realism, perceptions indicate that traditional animations of a more stylized variety foster perceptions with more emotional and aesthetic involvement. In this regard, the realism of animation is a multidimensional field and embraces computational and artistic approximations.

7. Industry Preference and Future Trends

7.1 Studio Adoption Trends

Over the last 30 years, the world's animation industry has gradually moved towards computer-generated production models. Transformation of the industry has involved industrial innovations, the global distribution of production networks, and the rising demand for content that can be produced quickly and at scale. (Scott, 2005). While traditional animation has its cultural and artistic value, the CG workflows of large studios have advantages over traditional workflows in terms of asset reusability, visual effects pipeline integration, and gaming/immersive media cross-compatible workflows (Curtin & Sanson, 2016).

Let adoption rate of a technique over time t be modeled as:

$$A(t) = \frac{K}{1 + e^{-r(t-t_0)}}$$

where

K = maximum market penetration,

r = growth rate,

t_0 = inflection point.

This logistic growth model reflects how CG animation adoption accelerated rapidly after technological maturation, while traditional animation experienced stabilization or decline in mainstream feature film production.




Figure 9. Adoption Trend Model

7.2 Economic Drivers of Industry Preference

Economic scalability is a major determinant of technique selection. Global production outsourcing and digital asset mobility allow CG animation to integrate into distributed production pipelines (Lobato, 2012). Once character models and rigs are created, they can be reused across sequels, series, and transmedia expansions, reducing marginal production cost.

If long-term production volume is V , average cost per minute becomes:

$$C_{avg} = \frac{C_{initial} + V \cdot C_{variable}}{V}$$

For CG systems, high initial asset cost $C_{initial}$ is offset as V increases. Traditional animation, lacking asset reusability at the same scale, shows relatively stable per-unit cost across volumes.

This economic characteristic explains why major studios producing franchises often favor CG pipelines.




Figure 10. Cost per Minute vs Production Volume

7.3 Role of Real-Time Rendering and Game Engines

Recent developments in real-time rendering engines have significantly influenced industry workflows. Real-time engines enable immediate visual feedback, reducing iterative delays traditionally associated with offline rendering pipelines (Gregory, 2018). This has led to the integration of animation production with interactive media and virtual production environments.

Let rendering delay be defined as:

$$D_r = \frac{T_{render}}{F}$$

Real-time systems aim to minimize D_r toward near-zero latency, enabling dynamic scene manipulation during production.

This convergence between film animation and interactive media has strengthened CG dominance in commercial markets, particularly where cross-platform deployment is required.

7.4 Emergence of Hybrid Animation Models

Although the dominance of CG continues to grow, more and more examples of models in the mix utilizing hand-drawn aesthetics and digital tools are being produced. In this context, a hybrid workflow with digital compositing and non-photorealistic rendering is used to mimic the traditional while retaining the efficiencies of the computational (Halpern, 2015).

Let hybrid realism index be modelled as:

$$R_H = \alpha R_{CG} + (1 - \alpha) R_T$$

where

$$0 \leq \alpha \leq 1.$$

This formulation illustrates how hybrid productions blend computational realism and stylistic expressiveness. Studios increasingly adopt this approach to differentiate visual identity while maintaining technological efficiency.




Figure 11. Realism Blending Model

7.5 Influence of Artificial Intelligence

Artificial intelligence is reshaping animation production through automated in-betweening, motion synthesis, and procedural animation systems. Machine learning models enable motion interpolation, facial animation transfer, and real-time character control (Karras, Aila, Laine, & Lehtinen, 2017).

Let automation efficiency factor be:

$$E_{AI} = \frac{T_{\text{manual}}}{T_{\text{automated}}}$$

An increasing E_{AI} reflects greater productivity gains. AI tools reduce repetitive tasks traditionally required in both hand-drawn and CG workflows, potentially narrowing the production-time gap between techniques.

7.6 Market Forecast Model

Future industry preference may be estimated using weighted utility modelling. Let utility of each technique be:

$$U = \beta_1 E_T + \beta_2 E_C + \beta_3 RPI + \beta_4 S$$

where

E_T = time efficiency,

E_C = cost efficiency,

RPI = realism perception index,

S = scalability factor,

β_i = weighting coefficients.

Studios are likely to select the technique with higher utility value. Current technological trends suggest CG and hybrid models yield higher aggregate utility in large-scale production contexts.

8. Discussion

8.1 Synthesis of Comparative Findings

The comparative analysis of traditional versus computer-generated (CG) animation techniques shows differences in structure, economics, and perception, which are not due solely to technological factors. The results show traditional animation as still being strongly labour-intensive. With traditional animation, as more frames are added, the more time the animation will take to complete. CG animation, on the other hand, has a type of flexibility and time scalability due to the reuse of assets and the ability to parallel compute. This type of structural flexibility in CG animation supports other observations about the digitization of the media production process and the increasing importance of computing in the creative production process (Manovich, 2001; Scott, 2005).

The time efficiency analysis shows traditional animation as more susceptible to changes in revision cycles and frame density. In contrast, CG animation production pipelines balance effort across fixed-value asset preparation and variable-value animation refinement. The asset-driven nature of CG animation production and the digital transactional model (Lobato, 2012) works to decrease cost over large cycles of production. This leads to CG animation being more applicable to long-format, franchise-based productions, while

traditional animation can still be economically feasible for short-format productions or productions with a specific stylistic focus.

8.2. Realism: Computation vs. Believability

One of the most significant findings highlights the multifaceted definition of realism. Objective metrics of realism (accuracy of lighting, resolution of texture, fidelity of physics) consistently preferred CG animation as a result of the advantages provided by physically based rendering and simulations. Audience perception data, however, indicated that improved computational realism did not correlate with improved audience emotional response.

This rift is an expression of the theoretical separation between photorealism and perceptual realism. Prince (2012) suggests that digital realism is more about a perceptual realism contract between the viewer and the image, not a reduction to a photorealistic representation. Classical animation frequently and effectively conveys a narrative that is believable by not adhering to a strict interpretation of the laws of physics. This is also noted by Lamarre (2009) when he says that animation is about perception of movement and dynamic compositing, not the accurate representation of a picture.

The statistical analysis of the Realism Perception Index (RPI) shows that while CG animation is perceived as more visually realistic, classical animation also scores very well in aesthetic and expressive value. This indicates that the realism in animation is not a result of the technical but more of the contextual.

8.3 Artistic Flexibility and Creative Control

Greater artistic flexibility is shown with traditional animation. For abstraction, deformation, and stylistic variation, traditional animation has a greater capacity. Animators have free expressive control without the limitations of imposition and construction with a simulation. This confirms Solomon's (1989) statement concerning traditional animation, a medium which surpasses live-action in temporal and spatial elasticity.

The use of advanced technology and simulation control and rig systems is a means of digital animation. The newly developed non-photorealistic rendering (NPR) and stylized shaders, however, indicate that hand-drawn looks can be achieved through digital design (Gooch & Gooch, 2001). Artistic flexibility has been proven to be more about the software designed than the medium.

An increasing number of hybrid workflows suggests the traditional/CG divide has become more prominent, but is increasingly less so.

8.4 Economic and Industrial Implications

The cost modelling results show traditional animation spends more budget on human resources, while CG production shifts costs to more advanced technologies. In long-term production, CG asset creation is more cost-efficient because it can be reused for sequels, spin-offs, and even interactive apps. This is consistent with the global studies of creative economy on digital scalability and networked production (Curtin & Sanson, 2016).

Integration of real-time engines and virtual production systems is also the signalling of animation, gaming, and cinematic visual effects (Gregory, 2018). This further strengthens the dominance of CG in the mainstream commercial productions.

Nonetheless, independent and culturally specific animation segments continue to use traditional animation as a marker of artistic identity and authenticity. The sustained hand-drawn look indicates that industry preference is not based on efficiency alone, but also on branding, audience expectation, and narrative style.

8.5 Technological Convergence and Hybrid Futures

The development of hybrid production models represents a significant transitional stage in the history of animation. Hybrid production methods merge computational lighting and compositing with elements of hand-drawn animation, resulting in unique and visually mixed styles that integrate the use of both analog and digital techniques. This hybrid development complicates value dichotomies and suggests a continuum of styles instead of a dichotomy.

The introduction of artificial intelligence in animation even further complicates the situation. In traditional as well as in computer-generated pipelines, the labour intensity of automated in-betweening, motion transfer, and procedural animation is compressed. As AI-driven animation tools evolve, production time differences will likely narrow, leading to a re-evaluation of styles in terms of artistry rather than in terms of labour.

The future of the industry will likely be integrated rather than replacing styles or methods. In cutting-edge CG techniques, the fundamentals of animation timing, exaggeration, and staging remain central to the digital animator. This is likely the result of the increasing ability of digital tools to implement these enduring principles of animation automatically.

8.6 Theoretical Contributions

This research offers a structured quantitative approach that encompasses workflow modelling, cost analysis, computational realism, and perceptual evaluations facilitating the integration of animation and rational cost/benefit analysis. Previous work has tended to separate the disciplines of traditional and CG animation into film studies and computer graphics, respectively. By uniting these disparate fields, the present research forms an interdisciplinary model that serves both theory and practice in the industry.

This research contends that a utility-based selection framework posits that the choice of animation technique is dependent on the scale of the project, the narrative, the associated costs, and the perceived value to the audience. The focus is on contextual optimization as opposed to viewing CG animation as a substitute for traditional animation.

8.7 Limitations and Interpretive Boundaries

The comparative framework, while providing measurable elements, has obvious shortcomings that must be acknowledged. First, production metrics can, and often do, vary widely among studios based on the experience of the staff, budget, and the level of technology being used. Second, the perception of realism can be influenced (and often is) by the cultural familiarity and stylistic expectations of the viewer. Third, the rapid pace of technological change, and in particular the trends in artificial intelligence and real time rendering engines, is likely to change the parameters of efficiency in very short time frames.

Longitudinal production data and expanded data sets from multiple studios may be used to improve predictive modelling of industry trends in future research.

9. Conclusion

This study provided a detailed comparative analysis of conventional (hand-drawn) animation and computer-generated (CG) animation techniques pertaining to workflow design, time and financial cost of production, levels of realism, and frequency of use within the respective industries. The use of mathematical modelling, coupled with economic assessment and perceptual modelling provided the basis for a framework of animation production systems empirically.

The research identifies the fact that conventional animation employs a linear scale of production which can be very labour-intensive. Its production scale can also be increased with the number of frames within a cycle which can be also increased with respect to the flexibility the artist utilises. The employment of hand-drawn frames also means that the time necessary for the production of the animation to be revised.

Conversely, CG animation utilises a modular, asset-based approach to production. While the initial costs of CG animation can be very high with the production of digital models, rigs and the technology, the long-term effect of the production of re-usable digital assets means that they can be very cost effective with far fewer production costs associated with animation. The larger a unit of production, the lower the costs associated with production of unit. These factors support the use of CG animation within large scale production studios.

The realism evaluation underscored the critical difference of computational realism and perceptual realism. CG animation achieves greater measurable realism from lighting, texture, and physics. Yet CG animation still fails to engage the audience the way stylized animation does. Animation realism is therefore multidimensional, beyond simply simulation.

The industry report confirms the continuing shift to CG, but also the use of hybrid models, which synthesize the best of both to converge rather than replace. Theoretically, this study attempts to integrate animation and CG research. Practically, it provides an evaluative model where technique choice is based on scale, budget, style, and audience.

To conclude, it is impossible to say that any one method is superior to any other when it comes to traditional animation, or computer animation. Each focus on a different optimization technique regarding how digital media evolves. With the integration of artificial intelligence, and new real-time processing, the traditional and computer animation techniques will become more closely intertwined. With further advancements, the

integration, flexibility, and the creativity of the underlying systems will be the foci of the evolution of animation.

References

1. Furniss, M. (2008). *Art in motion: Animation aesthetics* (2nd ed.). Indiana University Press.
2. Kajiya, J. T. (1986). The rendering equation. *ACM SIGGRAPH Computer Graphics*, 20(4), 143–150.
3. Kerlow, I. V. (2009). *The art of 3D computer animation and effects* (4th ed.). Wiley.
4. Mori, M. (2012). The uncanny valley. *IEEE Robotics & Automation Magazine*, 19(2), 98–100. (Original work published 1970)
5. Parent, R. (2012). *Computer animation: Algorithms and techniques* (3rd ed.). Morgan Kaufmann.
6. Pharr, M., Jakob, W., & Humphreys, G. (2016). *Physically based rendering: From theory to implementation* (3rd ed.). Morgan Kaufmann.
7. Thomas, F., & Johnston, O. (1981). *The illusion of life: Disney animation*. Disney Editions.
8. Wells, P. (1998). *Understanding animation*. Routledge.
9. Akenine-Möller, T., Haines, E., & Hoffman, N. (2018). *Real-time rendering* (4th ed.). CRC Press.
10. Baraff, D., & Witkin, A. (1998). Large steps in cloth simulation. *Proceedings of the 25th Annual Conference on Computer Graphics and Interactive Techniques*, 43–54.
11. Barrier, M. (1999). *Hollywood cartoons: American animation in its golden age*. Oxford University Press.
12. Bartels, R. H., Beatty, J. C., & Barsky, B. A. (1987). *An introduction to splines for use in computer graphics and geometric modeling*. Morgan Kaufmann.
13. Bendazzi, G. (2016). *Animation: A world history* (Vols. 1–3). CRC Press.
14. Catmull, E. (1978). The problems of computer-assisted animation. *ACM SIGGRAPH Computer Graphics*, 12(3), 348–353.
15. Chopine, A. (2011). *3D art essentials: The fundamentals of 3D modeling, texturing, and animation*. Focal Press.
16. Christopherson, S. (2008). Beyond the self-expressive creative worker: An industry perspective on entertainment media. *Theory, Culture & Society*, 25(7–8), 73–95.
17. Crafton, D. (1993). *Before Mickey: The animated film 1898–1928*. University of Chicago Press.
18. Honess Roe, A. (2013). *Animated documentary*. Palgrave Macmillan.
19. Kerlow, I. V. (2004). *The art of 3D computer animation and effects* (3rd ed.). Wiley.
20. Manovich, L. (2001). *The language of new media*. MIT Press.
21. Menache, A. (2010). *Understanding motion capture for computer animation* (2nd ed.). Morgan Kaufmann.
22. Prince, S. (2012). *Digital visual effects in cinema: The seduction of reality*. Rutgers University Press.
23. Reeves, W. T. (1983). Particle systems—A technique for modeling a class of fuzzy objects. *ACM SIGGRAPH Computer Graphics*, 17(3), 359–376.
24. Solomon, C. (1989). *Enchanted drawings: The history of animation*. Alfred A. Knopf.
25. Venkatasawmy, R. (2013). *The digitization of cinematic visual effects: Hollywood's coming of age*. Lexington Books.
26. Yoon, H., & Malecki, E. J. (2010). Cartoon planet: Worlds of production and global production networks in the animation industry. *Industrial and Corporate Change*, 19(1), 239–271.
27. Glassner, A. S. (1995). *Principles of digital image synthesis*. Morgan Kaufmann.
28. Gooch, B., & Gooch, A. (2001). *Non-photorealistic rendering*. AK Peters.
29. Lamarre, T. (2009). *The anime machine: A media theory of animation*. University of Minnesota Press.
30. Prince, S. (2012). *Digital visual effects in cinema: The seduction of reality*. Rutgers University Press.
31. Shirley, P., Ashikhmin, M., Marschner, S., & Ramamoorthi, R. (2009). *Fundamentals of computer graphics* (3rd ed.). A K Peters.
32. Solomon, C. (1989). *Enchanted drawings: The history of animation*. Alfred A. Knopf.
33. Curtin, M., & Sanson, K. (2016). *Precarious creativity: Global media, local labor*. University of California Press.
34. Gregory, J. (2018). *Game engine architecture* (3rd ed.). CRC Press.
35. Halpern, O. (2015). *Beautiful data: A history of vision and reason since 1945*. Duke University Press.
36. Karras, T., Aila, T., Laine, S., & Lehtinen, J. (2017). Progressive growing of GANs for improved quality, stability, and variation. *arXiv preprint arXiv:1710.10196*.
37. Lobato, R. (2012). *Shadow economies of cinema: Mapping informal film distribution*. British Film Institute.
38. Scott, A. J. (2005). *On Hollywood: The place, the industry*. Princeton University Press.
39. Curtin, M., & Sanson, K. (2016). *Precarious creativity: Global media, local labor*. University of California Press.
40. Gooch, B., & Gooch, A. (2001). *Non-photorealistic rendering*. AK Peters.
41. Gregory, J. (2018). *Game engine architecture* (3rd ed.). CRC Press.
42. Lamarre, T. (2009). *The anime machine: A media theory of animation*. University of Minnesota Press.

- 43. Lobato, R. (2012). *Shadow economies of cinema: Mapping informal film distribution*. British Film Institute.
- 44. Manovich, L. (2001). *The language of new media*. MIT Press.
- 45. Prince, S. (2012). *Digital visual effects in cinema: The seduction of reality*. Rutgers University Press.
- 46. Scott, A. J. (2005). *On Hollywood: The place, the industry*. Princeton University Press.
- 47. Solomon, C. (1989). *Enchanted drawings: The history of animation*. Alfred A. Knopf.